

MATERIAL SAFETY DATA SHEET

According to Reg. (EC) 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name:	TOP-TRAP 365
Product code(s):	TM0036
Registry number:	-

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Insecticide. It is used in an adequate trap, together with attractants, to monitor specific individuals or to reduce their population by mass trapping. **Uses advised against:** Not applicable.

1.3 Details of the supplier of the safety data sheet

Company name:	SEDQ
	Sociedad Española de Desarrollos Químicos, s. l.
Address:	Diagonal 352 entlo., 08013 Barcelona, Spain
Telephone number:	+34 93 458 40 00
E-mail:	info@sedq.es

1.4 Emergency telephone

+34 93 719 04 71 (in office hours)

SECTION 2: HAZARDS IDENTIFICATION

telephone:

2.1 Classification of the substance and mixture

Classification according to Regulation (EC) No 1272/2008 H410


2.2 Label elements

Labelling according to Regulation (EC) n° 1272/2008



Print date: 15/01/2019





Supplemental Hazard information (EU):

EUH401 To avoid risks to human and the environment, comply with the instructions for use.

2.3 Other hazards

No data available

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Mixtures





Component	CAS No	EC No	REACH registration No.	Content (% w/w)	Classification Reg. (EC) 1272/2008
Deltamethrin	52918-63-5	258-256-6	-	< 0.03	Acute Tox. 3, H331 Acute Tox. 3, H301 Aq. Acute 1, H400 Aq. Chronic 1, H410

Description: PP/PET lid impregnated with insecticide on its **inner** surface.

SECTION 4: FIRST-AID MEASURES

4.1 Description of first-aid measures

General information:	In normal conditions of use one may not expect risks for the health. If medical advice is needed, have product container, label or this safety data sheet at hand.
Skin contact:	Remove the contaminated clothes and wash the affected skin with water and soap and rinse with a lot of water.
Eye contact:	Wash the eyes immediately with a lot of water for 15 minutes at least, maintaining the eyes opened.
Ingestion:	Do not induce vomiting. Rinse your mouth with water. Keep calm. Get medical advice.
Inhalation:	In the event of fire, take the victim in the open air. If a fast recovery is not produced, look for medical attention.
Self-protection of the firs	t aider: Not relevant.





4.2 Most important symptoms and effects, both acute and delayed

Symptoms:

Local: In case of skin contact: paresthesia (local), possibility of irritation on skin and mucous membranes.

Systemic: Excitement, gastrointestinal disturbance, tremor, dizziness, headache, decadence, nausea and vomiting, epigastric pain, muscle fasciculation members, unconsciousness, convulsions and coma (at very high doses).

4.3 Indication of any immediate medical attention and special treatment needed

Risks: This preparation contains a pyretroid. It **MUSN'T** be confused with organophosphorus compounds.

Treatment:

Local treatment:	Initial treatment should be symptomatic and fortifying. In case of eye contact: instilling drops of a local anaesthetic, for example Tetracaine drops of 1%. If necessary, administer painkillers.			
Systemic treatment:	It must implement tracheal intubation and make a gastric lavage, followed by administration of activated charcoal.			
	Controlling cardiac and respiratory functions.			
	Electrocardiogram control.			
	In case of inhalation control the existence of pulmonary oedema.			
	Keeping free airways. If necessary provide artificial respiration.			
Against convulsions:	Diazepam: 5-10 mg for adults, kids 2-5 mg intravenously. Repeat if necessary until all sedation.			
Antidote:	There is no antidote.			
Contraindications:	Atropine and derivative from adrenalin.			

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:	CO ₂ , foam, water spray.
Unsuitable extinguishing media:	Large volume of water.





5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: At T> 300 °C thermal decomposition leads to the formation of toxic products such as carbon monoxide, ammonia and amino derivatives.

At T> 500 °C toxic products such as carbon oxides and hydrogen cyanide (traces) may be formed.

5.3 Advice for fire-fighters

Protection against fire: Wear self-contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with the spilled products or contaminated surfaces. Do not eat, drink or smoke while cleaning the spill.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid sending the product to the sewerage.

6.3 Methods and material for containment and cleaning up

Collect the product with shovel and introduce it in adequate containers for its management as waste.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Applicators must wear protective gloves when handling traps.

7.2 Conditions for safe storage, including any incompatibilities

Hold the product in the original packaging without opening in a fresh and dry place at room temperature (25 °C) and protected from sunlight till a maximum of 2 years.





Keep separate from food, drink and feed.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

No data available.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice.

Wash hands well with soap and water after handling and before eating, drinking, smoking, going to the bathroom or applying cosmetics.

8.2.2 Personal protection equipment

Eye protection:	Not required.
Hand protection:	Suitable gloves.
Respiratory protection:	Not required.
Environmental exposure controls:	Prevent further leakage or spillage if safe to do so.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state (20° C):	Solid
Colour:	Transparent lid
Odour:	Fish in decomposition process
Odour threshold:	No data available
рН	No data available
Melting point / freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	No data available
Evaporation rate:	No data available





Date of compilation: 15.01.19

Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	No data available
Solubility in water:	Insoluble
Partition coefficient n-octanol/water:	LogPow = 4.6 (deltamethrin) at 25°C
Auto-ignition temperature:	No data available
Decomposition temperature:	> 300°C
Viscosity:	No data available
Explosive properties:	No data available
Oxidising properties:	No data available

9.2 Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

At T> 300°C thermal decomposition occurs.

10.2 Chemical stability

Stable under recommended conditions of use and storage.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Extreme temperatures and direct sunlight.

10.5 Incompatible materials

No data available.





10.6 Hazardous decomposition products

At high temperatures the product decomposes in toxic and irritating fumes:

- T> 300 °C: carbon monoxide, ammonia and amino derivatives.
- T> 500 °C: carbon oxides and hydrogen cyanide (traces).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological effects associated to deltamethrin

• Acute toxicity:

Oral (rat)	LD ₅₀ :	87 mg/kg
Dermal (rabbit)	LD ₅₀ :	> 2000 mg/kg
Inhalation (rat)	LC ₅₀ :	0.6 mg/l Exposure time: 6 h

- Skin corrosion/irritation:
 - No skin irritation (rabbit)
- Serious eye damage/irritation:
 - No eye irritation (rabbit)
- Respiratory or skin sensitisation:
 - Non-sensitizing (guinea pig)
 - OECD Test Guideline 406, Magnusson & Kligman test
- Germ cell mutagenicity:

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. In vitro and in vivo mutagenicity tests do not indicate genotoxic activity.

• Carcinogenicity:

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice nor showed carcinogenic effects in animal experiments.

• Reproductive toxicity:

No data available.

- Specific target organ toxicity single exposure: No data available
- Specific target organ toxicity repeated exposure: No data available





 Aspiration hazard: No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Effect on the environment/ecotoxicity related to Deltamethrin:

Fish (Rainbow trout)	LC₅₀ (96 h)	0.91 μg/l
Daphnia (Daphnia magna)	EC ₅₀ (48 h)	0.56 μg/l
Algae	EC₅₀ (72 h)	> 9.1 mg/l

12.2 Persistence and degradability

Support material is not biodegradable.

12.3 Bioaccumulative potential

Deltamethrin:

Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1400

Partition coefficient n-octanol/water (LogPow): 4.6 (25°C)

12.4 Mobility in soil

Deltamethrin in soil is degraded within 1-2 weeks. In sediments of water, it accumulates or is consumed by plants. There is not known phytotoxicity in crops.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

Harmful to aquatic life. No data available.

12.7 Additional information

No data available.



Print date: 15/01/2019



SECTION 13: DISPOSAL CONSIDERATION

13.1	Waste treatment methods	

Product disposal:	Deliver the used or expired diffusers to a manager of waste for their adequate treatment.
Packaging disposal:	Deliver the empty packaging to a manager of waste for their adequate treatment.
Code of Federal Regulations (CFR):	020108 Agrochemical waste containing hazardous substances.

SECTION 14: TRANSPORT INFORMATION

According to the **335** note of the section **3.3.1** of the **ADR 2015**, to the **A158** note of the section **4.4** of the **ICAO2009/2010** and to the **SP335** note of the section **3.3** of the Annex 8 (Resolution MSC262(84) of 16 May 2008) from **IMDG Code**, the product **TOP-TRAP**, because of the type of packaging and the solid dangerous for the environment content, is not submitted to the arrangements of the ADR.

14.1 UN number

ADR/RID: Not regulated IATA: Not regulated IMDG: Not regulated

14.2 UN proper shipping name

- ADR/RID: Not regulated IATA: Not regulated
- IMDG: Not regulated

14.3 Transport hazard class(es)

- ADR/RID: Not regulated
- IATA: Not regulated
- IMDG: Not regulated

14.4 Packaging group

ADR/RID:	Not regulated
IATA:	Not regulated
IMDG:	Not regulated





14.5 Environmental hazards

ADR/RID: No IATA: No IMDG: No

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

WHO Classification: II (Moderately hazardous)

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for this product.

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Application Reg. (UE) 2015/830 Sections 1 , 16....

16.2 Abbreviations and acronyms

Full text of Hazard statements mentioned in Section 3

- H301 Toxic if swallowed.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Acute Tox. 3, Acute toxicity-category 3



Print date: 15/01/2019



Aq. Acute 1, Aquatic toxicity category (Acute)1 Aq. Chronic 1, Aquatic toxicity category (Chronic)1 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road N° CASRegistration number for chemicals n Chemical Abstracts Service N° EU Number used for chemical substances on the market within the EU (in EINECS: European Inventory of Existing Chemical Substances) ECx X% effective concentration IATA International Air Transport Association IBCInternational Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG International Maritime Dangerous Goods Code LCx Lethal concentration x% LDx Lethal dose x% MARPOLInternational Convention for the Prevention of Pollution from Ships N.O.S Not otherwise specified OECDOrganisation for Economic Co-operation and Development UE European Union.

16.3 Key literature references and sources data

- WHO specifications and evaluations for public health pesticides (Deltamethrin) November 2012
- "Guidance on the compilation of safety data sheets " (http://echa.europa.eu)
- WHO specifications and evaluations for public health pesticides (Deltaméthrine) November 2012
- Reg. (UE) 2015/830
- Reg. (UE) 1907/2006
- Reg. (UE) 1272/2008
- GESTIS data base (http://limitvalue.ifa.dguv.de/Webform_gw.aspx)

16.4 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]





.

Date of compilation: 15.01.19

Classification	Procedure
H410	Bridging principle "Concentration of highly hazardous mixtures".

The data and information provided in the safety data sheet are based on the literature and / or the documentation collected. It is designed only as a guide for safety in use, handling and transportation. The product should not be used for other purposes, unless specified. It is always the responsibility of the user. The information contained in this safety data sheet describes only the safety requirements and should not be considered as a guarantee of its properties.



Print date: 15/01/2019